

New Zealand Model Power Boat Association Inc.

Health and Safety Guidelines.

1. INTRODUCTION

This **Guideline** document has been prepared by the NZMPBA for the use of its members and affiliate clubs.

It is designed to assist those who are operating a club day or national event. Members may use all or part of this document as it is appropriate for their site and event.

This document is a Guideline and as such the NZMPBA will not be held responsible for its use or application.

2. CONSIDERATIONS.

SITE.

The NZMPBA strongly promotes that NO HARM is done to local surroundings.

All rubbish / waste created on site must be removed from the site at the conclusion of each day's events, (i.e. left as found)

Vehicle access over grassed areas is limited to 10 kmh. Where necessary, vehicle access will be restricted to regatta control vehicles only.

WILDLIFE.

Most waterways utilised for model power boating support varying types and numbers of wildlife.

The NZMPBA strongly promotes a MINIMUM DISTURBANCE approach.

Water borne fowl etc are to be quietly herded away from the boating area by running 1 boat or using the rescue dinghy.

Another option is to entice the fowl away by feeding in a safer area.

Should water fowl enter the racing area during a race, they are to be called as a race hazard by the race controller and if necessary the race will be stopped while the course is cleared.

It should be noted that wildlife are only semi controllable and the NZMPBA takes no responsibility for the complete safety of wildlife in any area in which its members are operating.

WATERWAY.

Extreme care is to be taken to avoid any contamination of the waterway being used. Most materials being used are biodegradable.

It is strongly advised by the NZMPBA that care is used should a member or other person need to enter any waterway whether wearing appropriate equipment or not.

3. HAZARDS.

SITE HAZARDS.

The local host club or the Event Director must identify all hazards and potential hazards.

These will be outlined to all participants at the “Drivers Brief” meeting along with suitable suggestions for reducing or eliminating any risk.

The drivers briefing will be held prior to the event commencing and all persons entered for events on that day must be present.

A suitably marked (and if necessary) roped off “pit area” is to be nominated for all members to operate within. The area may be signposted to exclude the general public if necessary.

A first aid kit is to be available on site during the event.

A fire extinguisher is to be available on site during the event.

NO SMOKING is to occur within the pit area or any other identified no smoking area.

WATERWAY HAZARDS.

The local host club or the Event Director must identify all hazards and potential hazards.

These will be outlined to all participants at the “Drivers Brief” meeting along with suitable suggestions for reducing or eliminating any risk.

The drivers briefing will be held prior to the event commencing and all persons entered for events on that day must be present.

The NZMPBA strongly advises that its members should not physically enter the waterway being utilised for any reason.

NOISE.

Noise levels are restricted to a maximum of 87 dba at 10 meters, measured 1 meter above water level and at right angles to the direction of travel of the boat.

Where it is considered to be too dangerous to do a noise check at 10 meters, then a check at 20 meters of no more than 81 dba is permitted.

RESCUE CRAFT.

Rescue craft are deemed as dinghies fitted if required with maximum 2.5 Hp outboard motors.

The NZMPBA strongly advises that only confident experienced members operate rescue craft. Any novice operator should be accompanied by an experienced person.

The NZMPBA strongly advises the use of life preservers (vests or similar) or other suitable floatation aids for members operating rescue craft.

No one is to smoke while operating the rescue craft or to smoke within 5 meters of the rescue craft.

COMPETITORS EQUIPMENT.

Competitor’s equipment at site must either be stored in a tidy fashion in the allocated pit area.

All hazardous fluids are to be contained in appropriate fully sealed containers.

Portable electric equipment should be suitably assembled in an appropriate place.

No competitor’s boats are to be run on water before drivers brief or scrutineering.

Scrutineering of all craft is mandatory and is to take place prior to that crafts first event for the day.

Scrutineering is to be carried out or overseen by suitably experienced persons and the appropriate notes made on the scrutineering form. (See copy attached)

Scrutineering will cover the following:

Radio Equipment frequency: will be confirmed at the transmitter and checked against the frequency entered on the event registration form. The operational frequency can only be changed with the approval of the event organiser.

9 Meter range check: A standard aerial down measured 9 metre check is to be done. All channels are to operate without compromise.

For radio sets where this type of check is unsuitable, a minimum 100 metre aerial up check must be made.

Fail safe systems are highly recommended by the NZMPBA. This device will completely close the throttle should any interference to or loss of radio signal occur. If fitted, its correct operation will be checked.

Engine / Mounts: Must be fully secured and rubber mounted for the purpose of noise reduction and to minimize vibration.

The throttle slide or barrel must be mechanically secure and operate smoothly through its full range.

Linkages: All linkages must be fully secured at each end as a minimum.

All linkages must be in good non corroded condition.

Steering linkages especially should be free of any unreasonable slop.

Rudder: The NZMPBA recommends strongly that rudder systems be of a kick up type / design where possible, especially if they are transom mounted assemblies.

The mounting bracket/s must be secured firmly to the hull.

Turn Fins: The NZMPBA recommends strongly that turn fin systems allow the blade to be of a kick up type/design where possible.

The mounting bracket/s must be secured firmly to the hull.

General Condition: All other fittings and fixtures are to be secure and mounted where possible to avoid vibration and minimize hull noise.

The general overall condition of the craft is to be suitable for its application and safe operation.

4. SPECTATORS.

The NZMPBA recommends that all spectators / general public stay back from the waters edge a minimum of 5 metres. This can be advertised either by signs placed accordingly, suitable statements and warnings broadcast over the public address system or officials of the event making a direct approach and verbally requesting spectators to move to a safer area.

The organiser may delay the start of an event or stop an event if spectators enter a hazardous area.

At all times all visitors and spectators to the site are there at their own risk and the NZMPBA ultimately assumes no responsibility for damage or injury to any persons or their property.

5. INSURANCE.

The NZMPBA provides public liability insurance of up to \$ 1 million for all its financial members who are operating anytime, anywhere, as long as they are part of a group at an organized event.

For those boating on their own, then their household insurance generally covers such liability, although it may be prudent to check that this is the case.

Members may also choose to carry their own insurance as well if they so choose.